AETA
AUDIO SYSTEMS ®

SIMPLE AND SAFE AUDIO LINKS

SCOOPYFLEX

The modular portable codec for outside broad cast requesting ultra mobility as well as a fully packed commentary unit

🎤 X2   🎧 X2   **DUAL STEREO**

AoIP — Ethernet / 3G / 4G / 5G / Wi-Fi

📞 — 3G / 4G / 5G

AETA REMOTE ACCESS   **5G**   **VoLTE** Voice Over LTE **READY**

Ultra portable and versatile field codec

2 YEAR WARRANTY

SIMPLICITY
+ Record
+ Edition
+ Playback
+ Dual stereo AoIP codec
+ Ultra flexible routing and mixing
+ Radio and TV modes
+ Full Duplex
+ Embedded HTML server for easy access to all parameters
+ SIP or Direct RTP
+ Factory SIP accounts included
+ Simultaneous registration on 2 SIP servers
+ N/ACIP compliant (EBU Tech 3326)
+ Auto jitter buffer
+ Auto bit rate OPUS
+ Internal battery charger

CONNECTIVITY
+ 2 stereo program transmissions + 2 talk-backs + HD voice
+ Up to 5 different networks
+ 1x Ethernet
+ 2 integrated wireless modules (2x3G/4G or 1x3G/4G + 1x5G)
+ Wi-Fi internal
+ VoLTE and HD Voice™
+ Mobile voice over 3G/4G networks with HD Voice™ (7 kHz)

SAFETY
+ Double Streaming / Bonding
+ FEC for secure connection
+ Remote Access: control over the Internet
+ Adjustable OPUS bitrate, during communication with no audio artefact, to fit bandwidth
+ Up to 4 antennas for better network reception
+ SNMP
+ 5H autonomy with Li-ion battery
+ Ultra rugged touchscreen
+ Recording, editing and playback

AUDIO INTERFACES
+ Best in class audio pre-amplification
+ Up to 2 commentary positions (included 2 mic/line) and audio inputs
+ 2 stereo headphones
+ USB audio device interface

Flex front side

Flex left side

Flex right side

Flex back side

CODING ALGORITHMS

AoIP 3G+ / 4G-LTE / 5G / ETHERNET / Wi-Fi
LINEAR, OPUS, AAC-LC/ HE/LD,/ELD, MPEG L2, G722, G711

3G / 4G *AMR-WB, AMR-NB, VoLTE*

Versions

Feature/Version	Ethernet	Wifi and bluetooth	Built-in Mobile (3G/4G-LTE/5G)	AES 67	Audio I/O
Mobile device	Yes	Yes	Up to 2	-	2 mic/line, 2 headset jacks
With Docking station	2×	Yes	Up to 2	8 channels Ravenna or Dante (optional)	INPUTS: 2 mic/line, 2 mic, 1 AES OUTPUTS: 2 line out, 4 headset jacks

AUDIO INTERFACES

MOBILE DEVICE
+ 2 mic/line inputs with phantom power, HP filter, limiter
+ 2 stereo headphone sockets for monitoring, flexible routing and volume control
+ USB audio device interface

USER INTERFACE
+ Color TFT 5" touchscreen display ultra rugged
+ Rotary encoder and keys
+ Easy to use presets

REMOTE CONTROL AND SUPERVISION

+ Remote control through LAN
+ Remote Access (control over Internet)

COMMUNICATION FEATURES
+ Packet data mode: IP protocol, SIP or "Direct RTP"
+ 100% FEC: packet replication (standard or interleaving)
+ Net bit rate 12 to 256 kbit/s (depending on coding algorithm)+ linear mode

NETWORK INTERFACES

Wired
+ 1 Ethernet interface, 10BaseT / 100BaseT / 1000BaseT

Wireless
+ 2x integrated 4G-LTE/5G network access modules , up to 3 SIM cards
+ 2x internal antennas + 2 antenna sockets
+ Voice mode: standard telephone or "HD Voice" (7 kHz with AMR-WB) or VoLTE
+ Wi-Fi integrated

GENERAL
+ Power: external DC 12V, or Li ion rechargeable battery (autonomy > 5 h), charger included
+ Size 178 x 128 x 50 mm (WxDxH)
+ Weight 728g/957g with battery

OPTIONS
+ Internal 4G or 5G module
+ Second internal 4G module
+ Remote Access Premium

ACCESSORIES
+ Dedicated bag
+ Flight-case
+ 4G USB dongle
+ Multiband cable antenna (1m, 3m)
+ Articulated antenna
+ External power supply

ScoopyFlex 4G Pack
+ ScoopyFlex
+ 4G module integrated
+ Li-Ion battery
+ Dedicated bag or flight case
+ Remote Access Premium
+ μSIM adapter

ScoopyFlex 5G Pack
+ ScoopyFlex
+ 5G module integrated
+ Li-Ion battery
+ Dedicated bag or flight case
+ Remote Access Premium
+ μSIM adapter